

High-density 4U switch 800mm depth in stock



Overview

The NC8400-4TH switch supports a maximum of 128x 40G/100G, or 64x 40/100G with 16x 400G high-density ports through flexible line cards combinations of NC8400-32C and NC8400-16CD. It's optimal for spine deployments in large data centers, HPC, service providers and cloud providers. The switch employs. In Win's High Density 4U JBOD storage chassis solutions optimized for enterprise level high capacity storage applications. It features 64x 400G QSFP-DD ports within a 4U chassis, delivering exceptional. + \$20 off w/ promo code FPSF875, limited offer We offer a wide selection of 1U, 2U, and 4U rackmount cases, as well as tower server chassis from top brands like Rosewill, Supermicro, Chenbro, and iStarUSA. With its exceptional performance and the powerful capabilities of the SONiC open network operating system, N9500-128QC is designed to meet the most demanding AIDC network requirements.



Article Content

Buy 42u 800 x 1000 Server Cabinet | Datacel | Comms

DataCel 42u 800 (w) x 1000 (d) Server Cabinet - Available at Comms Express, Networking Reseller - Free Next Day Delivery Buy Online Today

42U Server Rack Enclosure| 800x1100mm| 19-inch

The Vertiv VR Rack VR3150 is a 42U server rack built with reliable engineering and is designed for simple and easy configuration. It has dimensions of 2000mm x

Mellanox Quantum-X800 Q3400-RA 144 XDR Ports

The NVIDIA Quantum-X800 Q3400-RA 4U InfiniBand XDR switch, the first to leverage 200Gb/s- per-lane serializer/deserializer (SerDes) technology,

42U Deep 800mm Extra-Wide Rack | Eaton

42U deep extra-wide rack enclosure houses, organizes and secures network equipment with extra room on the sides for cable management and PDU mounting.

Buy Datacel 42u 800 x 800 Data Cabinet | Comms

Our datacel 42U 800 x 800mm Data Cabinet/Rack is a versatile 800 mm wide rack designed to accommodate a load of up to 600kg. Available with either a Glass

NavePoint 42U Server Rack Cabinet, 800mm depth,

The 42U NavePoint Commercial Series network server cabinets have capacity and quality --everything it takes to get the job done right for your high

42U Wide Server Rack, Euro-Series

MODEL NUMBER: SRX42UBWD 42U rack enclosure with 800 mm width houses, organizes and secures rack equipment in high-density server and IT networking areas.

NVIDIA HGX Platform: Data Center Physical

Learn the strict physical requirements for deploying NVIDIA HGX platforms from Hopper to Blackwell. Covers power (10-140 kW/rack), liquid cooling, rack

42U Server Rack Cabinet, 800mm depth, Glass door

The L-com LC42USRC800GDCM 42U commercial network server cabinet has the capacity and quality needed to complete your high-density applications that rack

Server Chassis & Rackmount Cases | 1U, 2U, 4U

We offer a wide selection of 1U, 2U, and 4U rackmount cases, as well as tower server chassis from top brands like Rosewill, Supermicro, Chenbro, and

4 RU Q-Series Standard Density Rack-Mount Fiber

The 4U Q-Series Standard Density (SD) footprint fiber enclosure system is designed to support standard density applications in building

4U | JBOD enclosure

In Win's High Density 4U JBOD storage chassis solutions optimized for enterprise level high capacity storage applications. All models feature high speed, low vibration and hot-swappable fans in

SR-4281-CKD

Schneider Electric India. SR-4281-CKD - President Enclosure, Smart Rack, 42U, Black, 1980H x 800W x 1000D mm.

Gcabling 19inch SPCC Depth 800mm 42U Server Rack

Data Centers: Ideal for hosting servers, core switches, and high-density IT equipment.
Telecom & ISP Facilities: Suitable for OLTs, routers, and fiber

Server Racks & Data Cabinets 800mm Wide x 800mm

Discover a range of 800mm wide x 800mm deep data cabinets and racks from leading brands at Comms Express. Optimise your data centre with high-quality

SN8800-64DQ, Data Center Switch, with 64x 400G

The SN8800-64DQ, powered by leading international chipsets, is a high-density core switch developed by Starry Networks for data center environments. It

Buy Prism PI 42u 800 x 1000 Server Rack Cabinet | Comms Express

Mid-style multiple depth mounting profiles Vertical cable management (800mm wide only) Earth bonding kit Full range of completing accessories Supplied assembled or in a flat pack version Configurable

ER8222FP7

This rack comes in 600mm Width & 1200mm Depth, with Roof, keys, levelling feet, casters, side panels, mounting hardware, PDU mounting brackets and without bottom.

27U 800mm x 800mm Server & Data Cabinets | High Capacity Racks

Optimise your networking with 27U 800mm x 800mm cabinets. Ideal for high-density cabling with 19" adjustable profiles and load ratings up to 800kg. Choose from glass or mesh doors. Fast UK delivery

ER8222FP7

Easy Rack ER6822FP7 is EIA-310 standard flatpacked 7sets in one package IT enclosure with essential features for fast, easy deployment in high density applications. ER6822FP7 is an ideal choice for

800mm Wide x 1000mm Deep Server Cabinets/Racks

Explore the range of 800mm Wide x 1000mm Deep Server Cabinets/Racks available at Comms Express, Networking Reseller - Free Delivery Available To

Configure 4U Rackmount Servers | Puget Systems

Larger rackmount systems can handle a higher density of GPUs, in terms of space as well as power and cooling. Our 4U rack servers support up to eight of NVIDIA's high-performance accelerators like the

APC NetShelter SV, Server Rack Enclosure, 42U,

The APC NetShelter SV 42U Enclosure is designed for high-density server and networking applications. It includes baying hardware, doors, keys, leveling feet,

FS 4-Slot 4U Modular Chassis Switch for Data centre

FS NC8400-4TH 4U modular chassis switch has 4 slots for full line rate 100G line cards and comes with Broadcom TH3 BCM56980 chip to deliver high density and low latency for the next generation data

128-Port 400G QSFP112 51.2T Ethernet 4U Switch for

N9500-128QC is a low-latency 400G RoCE 4U switch with 128x400G QSFP112 ports, SONiC OS, and Broadcom Tomahawk 5 (BCM78900), offering 51.2Tbps

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.dknconsulting.co.za>

Email: info@dknconsulting.co.za

Phone: +31 6 2948 7351

Address: Herengracht 123, 1015 BT Amsterdam, Netherlands

This document is for informational purposes only. Specifications subject to change without notice.

