


## P30 distribution box specifications



### AI Overview

The P30 distribution box comes in multiple variants, with sizes ranging from compact enclosures of 6.62" x 4.64" x 3.51" to full-featured wall-mounted or pedestal-mounted units for EV charging and power distribution.

**KeContact P30 Wallbox (EV Charging) Specifications**

**Mounting Options:** Wall-mounted or free-standing on a stainless steel pedestal, suitable for indoor and outdoor use.

**Electrical Features:** Integrated DC fault current monitoring eliminates the need for upstream FI type B, reducing installation costs.

**Power Output:** Entry-level e-series supports up to 7.4 kW; higher series offer more advanced features.

**Communication & Control:** Supports OCPP 1.5/1.6, UDP, and Modbus TCP for smart home integration, load management, and energy billing.

**Energy Metering:** Integrated MID-certified energy meter allows accurate billing and monitoring of energy usage.

**Connectivity:** Can connect up to fifteen c-series wallboxes to an x-series master for local load management.

**Moristech P30 Power Distribution Module (PDM) Specifications**

**Channels:** 30-channel fuse-less system distributing 8 outputs at 20A and 22 outputs at 8A.

**Connectivity:** Onboard CAN BUS system compatible with 8, 12, and 15-button Greyhill keypads.

**Included Hardware:** Connector kit with terminals, mounting hardware, power lug, and cover.

**Application:** Ideal for high-density power distribution without traditional fuses, suitable for industrial or automotive setups.

**Serpac P30 Enclosure Dimensions**

**Size:** 6.620" L x 4.640" W x 3.510" H (168.15 mm x 117.86 mm x 89.15 mm).

**Material & Color:** Black cover included, suitable for housing small electronic or distribution components.

**Summary**

The P30 distribution box family includes compact enclosures for electronics, high-density power distribution modules, and intelligent EV charging wallboxes. Sizes and specifications vary by model, from small Serpac enclosures to full-featured KeContact P30 units with integrated energy meters, communication interfaces, and flexible mounting options. Selection depends on the intended applic...

## Article Content

### Specifications

This data sheet lists various design options for the charging station. The actual design of the charging station depends on the variant.

#### 1993 Chevrolet P30 Service and Repair Manual

The convenient, cloud-based 1993 Chevrolet P30 service and repair manual The 1993 Chevrolet P30 service and repair manual from Repair Surge is the ultimate reference guide. It provides accurate,

#### L.T. Distribution Box Specification | PDF

The document provides specifications for low voltage distribution boxes used with distribution transformers of various ratings. Key details include: 1) The boxes will be outdoor type made of glass

#### P30 Built-in Distribution Box IP56 Flush Mounting Household

P30 Built-in Distribution Box IP56 Flush Mounting Household Concealed Air Switch Protective Cover Electrical Box CQC No reviews yet Nanjing Huashu Electric Complete Equipment Co., Ltd. Custom

#### PZ30 Distribution box

PZ30 Distribution box SUMMARY The main structural components of the PZ30-A terminal combination distribution box series include transparent cover, upper cover, box body, mounting rail, track height

#### Siemens Revised P1 Panelboards Data Sheet

Data Sheet The Revised P1 Panelboards are now available in both Feed-thru (FT) and Non-Feed-thru (NFT) variations. There is a savings of 6" of box height when a NFT version is selected which

#### P30 Distribution Box Z Household Exposed Air-Conditioned Air ...

welcome to taobao purchase p30 distributing box z household exposed air switch box outdoor dark 12 circuit power supply control factory electronic box, taobao digital power supply control factory

#### TECHNICAL SPECIFICATION I.R.O. 63,100,160 & 315 KVA L.T. Distribution Box

1. SCOPE: This Specification covers the design, manufacture, testing at works and supply of Distribution Boxes made out of CRCA MS for controlling the L.T. feeders from the L.T. side of Distribution

#### KeContact P30

Our KeCon-tact P30 is suitable for both indoor and outdoor use. Depending on requirements, it can be mounted on the wall or free-standing on our stainless steel pedestal.

[Distribution box catalogue | PDF](#)

This document provides specifications for various distribution boxes including dimensions, mounting sizes, and number of ways. It includes specifications for TOP-TS, TOP-TF, TOP-LS, TOP-PS, TOP

[Chevy GMC RV P30-Chassis-Manual | PDF](#)

Chevy Gmc Rv p30-Chassis-manual - Free download as PDF File (.pdf), Text File (.txt) or read online for free. CHEVY AND GMC RV P30 CHASSIS MAINTENANCE MANUAL

[KeContact\\_P30\\_TechnicalData\\_dbde](#)

Gilt nur für KeContact P30 Geräte, die ein VDE-Prüfzeichen am Typenschild aufgedruckt haben. Dieses Datenblatt listet verschiedene Ausführungsoptionen der Ladestation. Die tatsächliche Ausführung der

PZ30 metal distribution box, Distribution box

PZ30 distribution box /distribution board The series products are made of standard cold-rolled steel and use powder-coating techniques to process the crust. The outlook is beautiful and fit for surface and

#### TECHNICAL SPECIFICATION FOR LT DISTRIBUTION BOX

KV 1. DESCRIPTION OF MATERIALS:- The L.T. Distribution Cabinets shall be installed on D.P. Structure for Plinth Mounted 33/.4 KV Substation of the ratings indicated above. These Distribution

[Distribution Boxes Technical Data](#)

DC Micro Style Distribution Boxes Four-pin, One Signal per Port Cable Connector  
Distribution Box Eight-port DC Micro Distribution Box Specifications

#### VARIABLE REFRIGERANT FLOW ZONING SYSTEMS

Supports up to 50 indoor units per system Optimized refrigerant circuit and component design for improved flow distribution, allowing maximum energy transfer with minimal power input Superior high

[KeContact P30 c-series | KEBA](#)

Depending on your PV system's energy output the building's overall consumption, using an intelligent charging station in a smart home is an energy-efficient way to charge your e-car or plug-in hybrid -

KEBA KeContact P30 11 AC-Wallbox (ME-konform) form

166 x 163 x 82 mm Gewicht. 1 kg (ohne Kabel) Betriebstemperatur. -25°C bis 40°C Lagertemperatur. -40°C bis 70°C. ELEKTRISCHE SPEZIFIKATIONEN. Maximale Ladeleistung. 7,4 kW (1-phasig) / 22

### P30 Distribution Box Specifications and Size

YoAhorroEnergia Data Infrastructure (YAE) delivers modular data centers, edge data centers, server rack systems, cold/hot aisle containment, EMS, smart PDU, and AC/DC distribution solutions for

### POWER PRODUCT Panelboards

Panelboards Distributor stock - Type P1 Ready To Assemble Panelboards n breaker and vice-versa. Additionally, feed-thru lugs or subfeed circuit breakers up to 400 amperes can be added without

### Basic Power Distribution Units (PDUs)

They safely and efficiently manage and distribute power to multiple devices through a single input power connector, per PDU, to enhance scalability of network build-outs.

### Moristech P30 PDM

Description This solid state 30ch Power Distribution Module is a state of the art fuseless system that distributes 8 20amp and 22 8amp outputs. Comes with : -Connector Kit w/ terminals -Mounting

### KeContact\_P30\_TechnicalData\_dben

Ethernet interface ... USB interface ... Enable input ... Note: All variants of the charging station with the product key "KC-P30-G..." (Great Britain/United Kingdom) use the enable in-put for tamper detection.

### Popular High Strength Single Door P30 Distribution Electric Box ...

Popular High Strength Single Door P30 Distribution Electric Box Electric Box for Illumination, Find Details and Price about Electric Box and Distribution Box from Zhejiang Golden Unicorn Electrical

### KeContact P30

KeContact P30 can easily be connected to a central system via OCPP 1.5 or 1.6. In the public and semi-public sector, this is particularly interesting for monitoring, load management or en-ergy billing.

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.dknconsulting.co.za>

Email: [info@dknconsulting.co.za](mailto:info@dknconsulting.co.za)

Phone: +31 6 2948 7351

Address: Herengracht 123, 1015 BT Amsterdam, Netherlands

This document is for informational purposes only. Specifications subject to change without notice.

